

Application No. 09/423,969

after forming an ITO film over the entire surface of the second interlayer insulating film 52, patterning is performed, and a pixel electrode 41 is formed, for each pixel 7, electrically connected to the source-drain region in the second TFT 30 via the contact hole.

Page 75, line 24 through Page 76, line 5, delete current paragraph and insert therefore:

The bank layer BANK is formed along the data line SIG and the scanning lines GATE, thicker than the organic semiconductor film 43, and thereon is formed the opposing electrode OP. Therefore, due to the presence of the bank layer BANK, large capacitances can be prevented from becoming parasitic on the data line SIG. That is, because the thick bank layer BANK is also interposed between the data line SIG and the opposing electrode OP, the parasitic capacitance produced in the data line SIG is extremely small. Because of that fact, the loads on the drive circuits 3 and 4 can be reduced, and it becomes possible to effect low power consumption operation and/or faster display operations.

Page 76, line 23 through Page 77, line 6, delete current paragraph and insert therefore:

If such a two-layer structure is effected, moreover, the organic semiconductor film 43 comes in contact with the lower layer side insulating film made of the inorganic material, but it does not come in contact with the upper layer side insulating film 62 made of the organic material. Because of that, the organic semiconductor film 43 will not deteriorate under the influence of the upper layer side insulating film 62 configured of the organic material, wherefore, in the thin film light emitting element 40, there is no decline in either light emitting efficiency or reliability.

Page 81, lines 5-16, delete current paragraph and insert therefore:

Lower layer side insulating film formation process (Fig. 16A- 16C): Next, a film (an inorganic film for forming the lower layer side insulating film 61) consisting of an inorganic material is formed in a PECVD process or the like on the front surface of the second interlayer insulating film 52. This film is formed of the inorganic material and to the